

Rating periods				
T1	Day (12h)			
T2	Evening (4h)			
T3	Night (8h)			
T4	DEN			

Road /XP S 31-133 (19)								Variant 0
R96_027	Label	Transportesa - Mazakoti		Action radius/m				99999.00
	Group	Mazakoti		Emi. variant				Emission
	Number of nodes	3						dB(A)
	Length/ m	268.16		Day (12h)				38.49
	Length/ m (2D)	268.15		Night (8h)				-99.00
	Area /m²	---		Evening (4h)				-99.00
				Max gradient % (z-coord.)				1.29
				Driving direction		2 direct./driving on the right		
				Dist.:centreline lane - road /m				0.00
				Road surface		No correction		
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		0.00	0.38	50.00	50.00	38.49
	Night (8h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00
	Evening (4h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00
	Rating method	Peak level		Corr. for irregularity /dB	Corr. for tonality	Corr. for inform.		Special correction
	Lden			0.0	0.0	0.0		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	58.5	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	-79.0	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	-79.0	1.00	8.00000	0.00	0.0
R96_025	Label	Transportesana - Ka,oki 2		Action radius/m				99999.00
	Group	Ka,oki 2		Emi. variant				Emission
	Number of nodes	6						dB(A)
	Length/ m	251.91		Day (12h)				44.50
	Length/ m (2D)	251.91		Night (8h)				-99.00
	Area /m²	---		Evening (4h)				-99.00
				Max gradient % (z-coord.)				-0.56
				Driving direction		2 direct./driving on the right		
				Dist.:centreline lane - road /m				0.00
				Road surface		Grants		
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		0.00	0.84	50.00	50.00	44.93
	Night (8h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00
	Evening (4h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00
	Rating method	Peak level		Corr. for irregularity /dB	Corr. for tonality	Corr. for inform.		Special correction
	Lden			0.0	0.0	0.0		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	64.9	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	-79.0	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	-79.0	1.00	8.00000	0.00	0.0
R96_015	Label	Cerpji - 2. alternativa		Action radius/m				99999.00
	Group	Cerpji - 2. transporte□anas alternativa		Emi. variant				Emission
	Number of nodes	49						dB(A)
	Length/ m	1980.11		Day (12h)				48.12
	Length/ m (2D)	1980.06		Night (8h)				-99.00
	Area /m²	---		Evening (4h)				-99.00
				Max gradient % (z-coord.)				2.50
				Driving direction		2 direct./driving on the right		
				Dist.:centreline lane - road /m				0.00
				Road surface		Grants		
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		0.00	1.75	50.00	50.00	48.12
	Night (8h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00
	Evening (4h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00

	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. /dB		Special correction /dB
	Lden		-		0.0	0.0	0.0	-	0.0
	Rating period / Period		Duration	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	68.1	1.00	12.00000	0.00	0.0
	Evening (4h)		4.00	Evening	-79.0	1.00	4.00000	0.00	0.0
	Night (8h)		8.00	Night	-79.0	1.00	8.00000	0.00	0.0
R96_005	Label		P98			Action radius/m			99999.00
	Group		Fona_celi			Emi. variant			Emission
	Number of nodes		39						dB(A)
	Length/ m		1251.63			Day (12h)			60.97
	Length/ m (2D)		1251.60			Night (8h)			52.95
	Area /m²		---			Evening (4h)			58.79
						Max gradient % (z-coord.)			2.96
						Driving direction			2 direct./driving on the right
						Dist.:centreline lane - road /m			0.00
						Road surface			Smooth asphalt (concrete or mastic)
	Emiss. variant	Traffic flow			Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow			154.68	26.94	90.00	80.00	60.97
	Night (8h)	Continuous flow			18.08	5.32	90.00	80.00	52.95
	Evening (4h)	Continuous flow			102.45	14.89	90.00	80.00	58.79
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. /dB		Special correction /dB
	Lden		-		0.0	0.0	0.0	-	0.0
	Rating period / Period		Duration	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	81.0	1.00	12.00000	0.00	0.0
	Evening (4h)		4.00	Evening	78.8	1.00	4.00000	0.00	0.0
	Night (8h)		8.00	Night	72.9	1.00	8.00000	0.00	0.0
R96_014	Label		Cerpji - 1. alternativa			Action radius/m			99999.00
	Group		Cerpji - 1. transporte□anas alternativa			Emi. variant			Emission
	Number of nodes		41						dB(A)
	Length/ m		1729.06			Day (12h)			48.12
	Length/ m (2D)		1729.05			Night (8h)			-99.00
	Area /m²		---			Evening (4h)			-99.00
						Max gradient % (z-coord.)			-1.43
						Driving direction			2 direct./driving on the right
						Dist.:centreline lane - road /m			0.00
						Road surface			Grants
	Emiss. variant	Traffic flow			Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow			0.00	1.75	50.00	50.00	48.12
	Night (8h)	Continuous flow			0.00	0.00	50.00	50.00	-99.00
	Evening (4h)	Continuous flow			0.00	0.00	50.00	50.00	-99.00
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. /dB		Special correction /dB
	Lden		-		0.0	0.0	0.0	-	0.0
	Rating period / Period		Duration	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	68.1	1.00	12.00000	0.00	0.0
	Evening (4h)		4.00	Evening	-79.0	1.00	4.00000	0.00	0.0
	Night (8h)		8.00	Night	-79.0	1.00	8.00000	0.00	0.0
R96_008	Label		A10			Action radius/m			99999.00
	Group		Fona_celi			Emi. variant			Emission
	Number of nodes		81						dB(A)
	Length/ m		2511.32			Day (12h)			66.36
	Length/ m (2D)		2510.84			Night (8h)			58.34
	Area /m²		---			Evening (4h)			64.19
						Max gradient % (z-coord.)			-9.52
						Driving direction			2 direct./driving on the right
						Dist.:centreline lane - road /m			0.00
						Road surface			No correction
	Emiss. variant	Traffic flow			Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow			535.54	93.28	90.00	80.00	66.36
	Night (8h)	Continuous flow			62.60	18.41	90.00	80.00	58.34
	Evening (4h)	Continuous flow			354.71	51.55	90.00	80.00	64.19
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. /dB		Special correction /dB

	Lden		-	0.0	0.0	0.0	-	0.0
	<b>Rating period / Period</b>	<b>Duration</b>	<b>Emiss.</b>	<b>Lw' /dB(A)</b>	<b>n times</b>	<b>Impact time /h</b>	<b>dLi /dB</b>	<b>Lw'r /dB(A)</b>
	Day (12h)	12.00	Day	86.4	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	84.2	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	78.3	1.00	8.00000	0.00	0.0
<b>R96_022</b>	<b>Label</b>	Transportesana_2015gada_iejeknis			<b>Action radius/m</b>		99999.00	
	<b>Group</b>	2015.gada_cirknis			<b>Emi. variant</b>		Emission	
	<b>Number of nodes</b>	4					dB(A)	
	<b>Length/ m</b>	147.29			<b>Day (12h)</b>		37.45	
	<b>Length/ m (2D)</b>	147.29			<b>Night (8h)</b>		-99.00	
	<b>Area /m²</b>	---			<b>Evening (4h)</b>		-99.00	
					<b>Max gradient % (z-coord.)</b>		0.12	
					<b>Driving direction</b>		2 direct./driving on the right	
					<b>Dist.:centreline lane - road /m</b>		0.00	
					<b>Road surface</b>		Grants	
	<b>Emiss. variant</b>	<b>Traffic flow</b>		<b>Q car /vehic/h</b>	<b>Q HGV /vehic/h</b>	<b>v car /km/h</b>	<b>v HGV /km/h</b>	<b>Leq /dB(A)</b>
	Day (12h)	Continuous flow		0.00	0.15	50.00	50.00	37.45
	Night (8h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00
	Evening (4h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00
	<b>Rating method</b>	<b>Peak level</b>		<b>Corr. for</b>	<b>Corr. for tonality</b>	<b>Corr. for inform.</b>	<b>Special correction</b>	
	Lden			-	0.0	0.0	-	
	<b>Rating period / Period</b>	<b>Duration</b>	<b>Emiss.</b>	<b>Lw' /dB(A)</b>	<b>n times</b>	<b>Impact time /h</b>	<b>dLi /dB</b>	<b>Lw'r /dB(A)</b>
	Day (12h)	12.00	Day	57.4	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	-79.0	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	-79.0	1.00	8.00000	0.00	0.0
<b>R96_003</b>	<b>Label</b>	P98			<b>Action radius/m</b>		99999.00	
	<b>Group</b>	Fona_celi			<b>Emi. variant</b>		Emission	
	<b>Number of nodes</b>	34					dB(A)	
	<b>Length/ m</b>	1325.75			<b>Day (12h)</b>		60.97	
	<b>Length/ m (2D)</b>	1325.72			<b>Night (8h)</b>		52.95	
	<b>Area /m²</b>	---			<b>Evening (4h)</b>		58.79	
					<b>Max gradient % (z-coord.)</b>		-2.37	
					<b>Driving direction</b>		2 direct./driving on the right	
					<b>Dist.:centreline lane - road /m</b>		0.00	
					<b>Road surface</b>		Smooth asphalt (concrete or mastic)	
	<b>Emiss. variant</b>	<b>Traffic flow</b>		<b>Q car /vehic/h</b>	<b>Q HGV /vehic/h</b>	<b>v car /km/h</b>	<b>v HGV /km/h</b>	<b>Leq /dB(A)</b>
	Day (12h)	Continuous flow		154.68	26.94	90.00	80.00	60.97
	Night (8h)	Continuous flow		18.08	5.32	90.00	80.00	52.95
	Evening (4h)	Continuous flow		102.45	14.89	90.00	80.00	58.79
	<b>Rating method</b>	<b>Peak level</b>		<b>Corr. for</b>	<b>Corr. for tonality</b>	<b>Corr. for inform.</b>	<b>Special correction</b>	
	Lden			-	0.0	0.0	-	
	<b>Rating period / Period</b>	<b>Duration</b>	<b>Emiss.</b>	<b>Lw' /dB(A)</b>	<b>n times</b>	<b>Impact time /h</b>	<b>dLi /dB</b>	<b>Lw'r /dB(A)</b>
	Day (12h)	12.00	Day	81.0	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	78.8	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	72.9	1.00	8.00000	0.00	0.0
<b>R96_011</b>	<b>Label</b>	4-9			<b>Action radius/m</b>		99999.00	
	<b>Group</b>	Fona_celi			<b>Emi. variant</b>		Emission	
	<b>Number of nodes</b>	35					dB(A)	
	<b>Length/ m</b>	1393.24			<b>Day (12h)</b>		47.87	
	<b>Length/ m (2D)</b>	1393.23			<b>Night (8h)</b>		40.43	
	<b>Area /m²</b>	---			<b>Evening (4h)</b>		45.44	
					<b>Max gradient % (z-coord.)</b>		1.43	
					<b>Driving direction</b>		2 direct./driving on the right	
					<b>Dist.:centreline lane - road /m</b>		0.00	
					<b>Road surface</b>		Grants	
	<b>Emiss. variant</b>	<b>Traffic flow</b>		<b>Q car /vehic/h</b>	<b>Q HGV /vehic/h</b>	<b>v car /km/h</b>	<b>v HGV /km/h</b>	<b>Leq /dB(A)</b>
	Day (12h)	Continuous flow		5.06	1.33	50.00	50.00	47.87
	Night (8h)	Continuous flow		0.59	0.26	50.00	50.00	40.43
	Evening (4h)	Continuous flow		3.35	0.73	50.00	50.00	45.44
	<b>Rating method</b>	<b>Peak level</b>		<b>Corr. for</b>	<b>Corr. for tonality</b>	<b>Corr. for inform.</b>	<b>Special correction</b>	
	Lden			-	0.0	0.0	-	

	Rating period / Period		Duration	Emiss.	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	67.9	1.00	12.00000	0.00	0.0
	Evening (4h)		4.00	Evening	65.4	1.00	4.00000	0.00	0.0
	Night (8h)		8.00	Night	60.4	1.00	8.00000	0.00	0.0
R96_007	Label		4-20		Action radius/m		99999.00		
	Group		Fona_celi		Emi. variant		Emission		
	Number of nodes		35				dB(A)		
	Length/ m		2119.45		Day (12h)		47.20		
	Length/ m (2D)		2118.97		Night (8h)		38.60		
	Area /m²		---		Evening (4h)		45.19		
					Max gradient % (z-coord.)		5.62		
					Driving direction		2 direct./driving on the right		
					Dist.:centreline lane - road /m		0.00		
					Road surface		Grants		
	Emiss. variant	Traffic flow		Q car /vehic/h		Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		6.09		0.31	80.00	80.00	47.20
	Night (8h)	Continuous flow		0.71		0.06	80.00	80.00	38.60
	Evening (4h)	Continuous flow		4.03		0.17	80.00	80.00	45.19
	Rating method		Peak level		Corr. for	Corr. for tonality	Corr. for inform.	Special correction	
	Lden				0.0	0.0	0.0	-	
	Rating period / Period		Duration	Emiss.	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	67.2	1.00	12.00000	0.00	0.0
	Evening (4h)		4.00	Evening	65.2	1.00	4.00000	0.00	0.0
	Night (8h)		8.00	Night	58.6	1.00	8.00000	0.00	0.0
R96_020	Label		Transportesa_2011.gada iecirknis		Action radius/m		99999.00		
	Group		2011.gada_iecirknis		Emi. variant		Emission		
	Number of nodes		6				dB(A)		
	Length/ m		591.12		Day (12h)		44.50		
	Length/ m (2D)		591.09		Night (8h)		-99.00		
	Area /m²		---		Evening (4h)		-99.00		
					Max gradient % (z-coord.)		1.78		
					Driving direction		2 direct./driving on the right		
					Dist.:centreline lane - road /m		0.00		
					Road surface		Grants		
	Emiss. variant	Traffic flow		Q car /vehic/h		Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		0.00		0.76	50.00	50.00	44.50
	Night (8h)	Continuous flow		0.00		0.00	50.00	50.00	-99.00
	Evening (4h)	Continuous flow		0.00		0.00	50.00	50.00	-99.00
	Rating method		Peak level		Corr. for	Corr. for tonality	Corr. for inform.	Special correction	
	Lden				0.0	0.0	0.0	-	
	Rating period / Period		Duration	Emiss.	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	64.5	1.00	12.00000	0.00	0.0
	Evening (4h)		4.00	Evening	-79.0	1.00	4.00000	0.00	0.0
	Night (8h)		8.00	Night	-79.0	1.00	8.00000	0.00	0.0
R96_028	Label		Transportesana_Ka_oki 2		Action radius/m		99999.00		
	Group		Ka_oki 2		Emi. variant		Emission		
	Number of nodes		35				dB(A)		
	Length/ m		1393.24		Day (12h)		44.50		
	Length/ m (2D)		1393.23		Night (8h)		-99.00		
	Area /m²		---		Evening (4h)		-99.00		
					Max gradient % (z-coord.)		1.43		
					Driving direction		2 direct./driving on the right		
					Dist.:centreline lane - road /m		0.00		
					Road surface		Grants		
	Emiss. variant	Traffic flow		Q car /vehic/h		Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		0.00		0.76	50.00	50.00	44.50
	Night (8h)	Continuous flow		0.00		0.00	50.00	50.00	-99.00
	Evening (4h)	Continuous flow		0.00		0.00	50.00	50.00	-99.00
	Rating method		Peak level		Corr. for	Corr. for tonality	Corr. for inform.	Special correction	
	Lden				0.0	0.0	0.0	-	
	Rating period / Period		Duration	Emiss.	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)

	Day (12h)	12.00	Day	64.5	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	-79.0	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	-79.0	1.00	8.00000	0.00	0.0
<b>R96_012</b>	<b>Label</b>	P98			<b>Action radius/m</b>		99999.00	
	<b>Group</b>	Fona_celi			<b>Emi. variant</b>		Emission	
	<b>Number of nodes</b>	6					dB(A)	
	<b>Length/ m</b>	554.57			<b>Day (12h)</b>		60.97	
	<b>Length/ m (2D)</b>	554.57			<b>Night (8h)</b>		52.95	
	<b>Area /m²</b>	---			<b>Evening (4h)</b>		58.79	
					<b>Max gradient % (z-coord.)</b>		0.01	
					<b>Driving direction</b>		2 direct./driving on the right	
					<b>Dist.:centreline lane - road /m</b>		0.00	
					<b>Road surface</b>		Smooth asphalt (concrete or mastic)	
	<b>Emiss. variant</b>	<b>Traffic flow</b>		<b>Q car /vehic/h</b>	<b>Q HGV /vehic/h</b>	<b>v car /km/h</b>	<b>v HGV /km/h</b>	<b>Leq /dB(A)</b>
	Day (12h)	Continuous flow		154.68	26.94	90.00	80.00	60.97
	Night (8h)	Continuous flow		18.08	5.32	90.00	80.00	52.95
	Evening (4h)	Continuous flow		102.45	14.89	90.00	80.00	58.79
	<b>Rating method</b>	<b>Peak level</b>		<b>Corr. for frequency /dB</b>	<b>Corr. for tonality /dB</b>	<b>Corr. for inform. /dB</b>		<b>Special correction /dB</b>
	Lden			0.0	0.0	0.0	-	0.0
	<b>Rating period / Period</b>	<b>Duration /h</b>	<b>Emiss. period</b>	<b>Lw' /dB(A)</b>	<b>n times</b>	<b>Impact time /h</b>	<b>dLi /dB</b>	<b>Lw'r /dB(A)</b>
	Day (12h)	12.00	Day	81.0	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	78.8	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	72.9	1.00	8.00000	0.00	0.0
<b>R96_010</b>	<b>Label</b>	A10			<b>Action radius/m</b>		99999.00	
	<b>Group</b>	Fona_celi			<b>Emi. variant</b>		Emission	
	<b>Number of nodes</b>	12					dB(A)	
	<b>Length/ m</b>	313.18			<b>Day (12h)</b>		66.36	
	<b>Length/ m (2D)</b>	313.15			<b>Night (8h)</b>		58.34	
	<b>Area /m²</b>	---			<b>Evening (4h)</b>		64.19	
					<b>Max gradient % (z-coord.)</b>		2.75	
					<b>Driving direction</b>		2 direct./driving on the right	
					<b>Dist.:centreline lane - road /m</b>		0.00	
					<b>Road surface</b>		Smooth asphalt (concrete or mastic)	
	<b>Emiss. variant</b>	<b>Traffic flow</b>		<b>Q car /vehic/h</b>	<b>Q HGV /vehic/h</b>	<b>v car /km/h</b>	<b>v HGV /km/h</b>	<b>Leq /dB(A)</b>
	Day (12h)	Continuous flow		535.54	93.28	90.00	80.00	66.36
	Night (8h)	Continuous flow		62.60	18.41	90.00	80.00	58.34
	Evening (4h)	Continuous flow		354.71	51.55	90.00	80.00	64.19
	<b>Rating method</b>	<b>Peak level</b>		<b>Corr. for frequency /dB</b>	<b>Corr. for tonality /dB</b>	<b>Corr. for inform. /dB</b>		<b>Special correction /dB</b>
	Lden			0.0	0.0	0.0	-	0.0
	<b>Rating period / Period</b>	<b>Duration /h</b>	<b>Emiss. period</b>	<b>Lw' /dB(A)</b>	<b>n times</b>	<b>Impact time /h</b>	<b>dLi /dB</b>	<b>Lw'r /dB(A)</b>
	Day (12h)	12.00	Day	86.4	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	84.2	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	78.3	1.00	8.00000	0.00	0.0
<b>R96_002</b>	<b>Label</b>	A10			<b>Action radius/m</b>		99999.00	
	<b>Group</b>	Fona_celi			<b>Emi. variant</b>		Emission	
	<b>Number of nodes</b>	71					dB(A)	
	<b>Length/ m</b>	1444.79			<b>Day (12h)</b>		66.36	
	<b>Length/ m (2D)</b>	1444.74			<b>Night (8h)</b>		58.34	
	<b>Area /m²</b>	---			<b>Evening (4h)</b>		64.19	
					<b>Max gradient % (z-coord.)</b>		-3.21	
					<b>Driving direction</b>		2 direct./driving on the right	
					<b>Dist.:centreline lane - road /m</b>		0.00	
					<b>Road surface</b>		Smooth asphalt (concrete or mastic)	
	<b>Emiss. variant</b>	<b>Traffic flow</b>		<b>Q car /vehic/h</b>	<b>Q HGV /vehic/h</b>	<b>v car /km/h</b>	<b>v HGV /km/h</b>	<b>Leq /dB(A)</b>
	Day (12h)	Continuous flow		535.54	93.28	90.00	80.00	66.36
	Night (8h)	Continuous flow		62.60	18.41	90.00	80.00	58.34
	Evening (4h)	Continuous flow		354.71	51.55	90.00	80.00	64.19
	<b>Rating method</b>	<b>Peak level</b>		<b>Corr. for frequency /dB</b>	<b>Corr. for tonality /dB</b>	<b>Corr. for inform. /dB</b>		<b>Special correction /dB</b>
	Lden			0.0	0.0	0.0	-	0.0
	<b>Rating period / Period</b>	<b>Duration /h</b>	<b>Emiss. period</b>	<b>Lw' /dB(A)</b>	<b>n times</b>	<b>Impact time /h</b>	<b>dLi /dB</b>	<b>Lw'r /dB(A)</b>
	Day (12h)	12.00	Day	86.4	1.00	12.00000	0.00	0.0

	Evening (4h)	4.00	Evening	84.2	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	78.3	1.00	8.00000	0.00	0.0
<b>R96_001</b>	<b>Label</b>	4-9			<b>Action radius/m</b>		99999.00	
	<b>Group</b>	Fona_celi			<b>Emi. variant</b>		Emission	
	<b>Number of nodes</b>	68					dB(A)	
	<b>Length/ m</b>	2382.11			<b>Day (12h)</b>		47.20	
	<b>Length/ m (2D)</b>	2381.90			<b>Night (8h)</b>		38.60	
	<b>Area /m²</b>	---			<b>Evening (4h)</b>		45.19	
					<b>Max gradient % (z-coord.)</b>		7.86	
					<b>Driving direction</b>		2 direct./driving on the right	
					<b>Dist.:centreline lane - road /m</b>		0.00	
					<b>Road surface</b>		Grants	
	<b>Emiss. variant</b>	<b>Traffic flow</b>		<b>Q car /vehic/h</b>	<b>Q HGV /vehic/h</b>	<b>v car /km/h</b>	<b>v HGV /km/h</b>	<b>Leq /dB(A)</b>
	Day (12h)	Continuous flow		6.09	0.31	80.00	80.00	47.20
	Night (8h)	Continuous flow		0.71	0.06	80.00	80.00	38.60
	Evening (4h)	Continuous flow		4.03	0.17	80.00	80.00	45.19
	<b>Rating method</b>	<b>Peak level</b>		<b>Corr. for</b>	<b>Corr. for tonality</b>	<b>Corr. for inform.</b>		<b>Special correction</b>
	Lden			- 0.0	0.0	0.0	-	0.0
	<b>Rating period / Period</b>	<b>Duration</b>	<b>Emiss.</b>	<b>Lw' /dB(A)</b>	<b>n times</b>	<b>Impact time /h</b>	<b>dLi /dB</b>	<b>Lw'r /dB(A)</b>
	Day (12h)	12.00	Day	67.2	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	65.2	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	58.6	1.00	8.00000	0.00	0.0
<b>R96_009</b>	<b>Label</b>	P98			<b>Action radius/m</b>		99999.00	
	<b>Group</b>	Fona_celi			<b>Emi. variant</b>		Emission	
	<b>Number of nodes</b>	9					dB(A)	
	<b>Length/ m</b>	277.25			<b>Day (12h)</b>		60.97	
	<b>Length/ m (2D)</b>	277.25			<b>Night (8h)</b>		52.95	
	<b>Area /m²</b>	---			<b>Evening (4h)</b>		58.79	
					<b>Max gradient % (z-coord.)</b>		-1.11	
					<b>Driving direction</b>		2 direct./driving on the right	
					<b>Dist.:centreline lane - road /m</b>		0.00	
					<b>Road surface</b>		Smooth asphalt (concrete or mastic)	
	<b>Emiss. variant</b>	<b>Traffic flow</b>		<b>Q car /vehic/h</b>	<b>Q HGV /vehic/h</b>	<b>v car /km/h</b>	<b>v HGV /km/h</b>	<b>Leq /dB(A)</b>
	Day (12h)	Continuous flow		154.68	26.94	90.00	80.00	60.97
	Night (8h)	Continuous flow		18.08	5.32	90.00	80.00	52.95
	Evening (4h)	Continuous flow		102.45	14.89	90.00	80.00	58.79
	<b>Rating method</b>	<b>Peak level</b>		<b>Corr. for</b>	<b>Corr. for tonality</b>	<b>Corr. for inform.</b>		<b>Special correction</b>
	Lden			- 0.0	0.0	0.0	-	0.0
	<b>Rating period / Period</b>	<b>Duration</b>	<b>Emiss.</b>	<b>Lw' /dB(A)</b>	<b>n times</b>	<b>Impact time /h</b>	<b>dLi /dB</b>	<b>Lw'r /dB(A)</b>
	Day (12h)	12.00	Day	81.0	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	78.8	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	72.9	1.00	8.00000	0.00	0.0
<b>R96_006</b>	<b>Label</b>	V1454			<b>Action radius/m</b>		99999.00	
	<b>Group</b>	Fona_celi			<b>Emi. variant</b>		Emission	
	<b>Number of nodes</b>	76					dB(A)	
	<b>Length/ m</b>	1848.97			<b>Day (12h)</b>		49.32	
	<b>Length/ m (2D)</b>	1848.92			<b>Night (8h)</b>		40.54	
	<b>Area /m²</b>	---			<b>Evening (4h)</b>		47.38	
					<b>Max gradient % (z-coord.)</b>		-7.89	
					<b>Driving direction</b>		2 direct./driving on the right	
					<b>Dist.:centreline lane - road /m</b>		0.00	
					<b>Road surface</b>		Smooth asphalt (concrete or mastic)	
	<b>Emiss. variant</b>	<b>Traffic flow</b>		<b>Q car /vehic/h</b>	<b>Q HGV /vehic/h</b>	<b>v car /km/h</b>	<b>v HGV /km/h</b>	<b>Leq /dB(A)</b>
	Day (12h)	Continuous flow		17.31	0.71	90.00	80.00	49.32
	Night (8h)	Continuous flow		2.02	0.14	90.00	80.00	40.54
	Evening (4h)	Continuous flow		11.46	0.39	90.00	80.00	47.38
	<b>Rating method</b>	<b>Peak level</b>		<b>Corr. for</b>	<b>Corr. for tonality</b>	<b>Corr. for inform.</b>		<b>Special correction</b>
	Lden			- 0.0	0.0	0.0	-	0.0
	<b>Rating period / Period</b>	<b>Duration</b>	<b>Emiss.</b>	<b>Lw' /dB(A)</b>	<b>n times</b>	<b>Impact time /h</b>	<b>dLi /dB</b>	<b>Lw'r /dB(A)</b>
	Day (12h)	12.00	Day	69.3	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	67.4	1.00	4.00000	0.00	0.0

	Night (8h)	8.00	Night	60.5	1.00	8.00000	0.00	0.0
<b>R96_004</b>	<b>Label</b>	4-10			<b>Action radius/m</b>		99999.00	
	<b>Group</b>	Fona_celi			<b>Emi. variant</b>		Emission	
	<b>Number of nodes</b>	73					dB(A)	
	<b>Length/ m</b>	2334.80			<b>Day (12h)</b>		47.20	
	<b>Length/ m (2D)</b>	2334.71			<b>Night (8h)</b>		38.60	
	<b>Area /m²</b>	---			<b>Evening (4h)</b>		45.19	
					<b>Max gradient % (z-coord.)</b>		5.91	
					<b>Driving direction</b>		2 direct./driving on the right	
					<b>Dist.:centreline lane - road /m</b>		0.00	
					<b>Road surface</b>		Grants	
	<b>Emiss. variant</b>	<b>Traffic flow</b>		<b>Q car /vehic/h</b>	<b>Q HGV /vehic/h</b>	<b>v car /km/h</b>	<b>v HGV /km/h</b>	<b>Leq /dB(A)</b>
	Day (12h)	Continuous flow		6.09	0.31	80.00	80.00	47.20
	Night (8h)	Continuous flow		0.71	0.06	80.00	80.00	38.60
	Evening (4h)	Continuous flow		4.03	0.17	80.00	80.00	45.19
	<b>Rating method</b>	<b>Peak level</b>		<b>Corr. for insulation /dB</b>	<b>Corr. for tonality /dB</b>	<b>Corr. for inform. /dB</b>		<b>Special correction /dB</b>
	Lden			- 0.0	0.0	0.0	-	0.0
	<b>Rating period / Period</b>	<b>Duration h</b>	<b>Emiss. variant</b>	<b>Lw' /dB(A)</b>	<b>n times</b>	<b>Impact time /h</b>	<b>dLi /dB</b>	<b>Lw'r /dB(A)</b>
	Day (12h)	12.00	Day	67.2	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	65.2	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	58.6	1.00	8.00000	0.00	0.0

Line source /CNOSSOS (6)								
								Variant 0
<b>LQCN001</b>	<b>Label</b>	Cerpji - 1. alternativa			<b>Action radius/m</b>		99999.00	
	<b>Group</b>	Cerpji - 1. transporte□anas alternativa			<b>Emission is</b>		Sound power level (Lw)	
	<b>Number of nodes</b>	2			<b>Emi. variant</b>	<b>Emission</b>	<b>Sound insul.</b>	<b>Lw</b>
	<b>Length/ m</b>	54.07				dB(A)	dB	dB(A)
	<b>Length/ m (2D)</b>	54.07			<b>Day (12h)</b>	103.80	-	103.80
	<b>Area /m²</b>	---			<b>Night (8h)</b>	-99.00	-	-99.00
					<b>Evening (4h)</b>	-99.00	-	-99.00
	<b>Rating method</b>	<b>Peak level</b>		<b>Corr. for insulation /dB</b>	<b>Corr. for tonality /dB</b>	<b>Corr. for inform. /dB</b>		<b>Special correction /dB</b>
	Lden			- 0.0	0.0	0.0	-	0.0
	<b>Rating period / Period</b>	<b>Duration h</b>	<b>Emiss. variant</b>	<b>Lw' /dB(A)</b>	<b>n times</b>	<b>Impact time /h</b>	<b>dLi /dB</b>	<b>Lw'r /dB(A)</b>
	Day (12h)	12.00	Day	86.5	1.00	0.05697	-23.24	-23.2
	Evening (4h)	4.00	Evening	-	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	-	1.00	8.00000	0.00	0.0
<b>LQCN002</b>	<b>Label</b>	Cerpji - 2. alternativa			<b>Action radius/m</b>		99999.00	
	<b>Group</b>	Cerpji - 2. transporte□anas alternativa			<b>Emission is</b>		Sound power level (Lw)	
	<b>Number of nodes</b>	6			<b>Emi. variant</b>	<b>Emission</b>	<b>Sound insul.</b>	<b>Lw</b>
	<b>Length/ m</b>	520.41				dB(A)	dB	dB(A)
	<b>Length/ m (2D)</b>	520.24			<b>Day (12h)</b>	103.80	-	103.80
	<b>Area /m²</b>	---			<b>Night (8h)</b>	-99.00	-	-99.00
					<b>Evening (4h)</b>	-99.00	-	-99.00
	<b>Rating method</b>	<b>Peak level</b>		<b>Corr. for insulation /dB</b>	<b>Corr. for tonality /dB</b>	<b>Corr. for inform. /dB</b>		<b>Special correction /dB</b>
	Lden			- 0.0	0.0	0.0	-	0.0
	<b>Rating period / Period</b>	<b>Duration h</b>	<b>Emiss. variant</b>	<b>Lw' /dB(A)</b>	<b>n times</b>	<b>Impact time /h</b>	<b>dLi /dB</b>	<b>Lw'r /dB(A)</b>
	Day (12h)	12.00	Day	76.6	1.00	0.54815	-13.40	-13.4
	Evening (4h)	4.00	Evening	-	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	-	1.00	8.00000	0.00	0.0
<b>LQCN005</b>	<b>Label</b>	Transportesana_2011.gada iecirknis			<b>Action radius/m</b>		99999.00	
	<b>Group</b>	2011.gada_ iecirknis			<b>Emission is</b>		Sound power level (Lw)	
	<b>Number of nodes</b>	7			<b>Emi. variant</b>	<b>Emission</b>	<b>Sound insul.</b>	<b>Lw</b>
	<b>Length/ m</b>	209.30				dB(A)	dB	dB(A)
	<b>Length/ m (2D)</b>	209.26			<b>Day (12h)</b>	103.80	-	103.80
	<b>Area /m²</b>	---			<b>Night (8h)</b>	-99.00	-	-99.00
					<b>Evening (4h)</b>	-99.00	-	-99.00
	<b>Rating method</b>	<b>Peak level</b>		<b>Corr. for insulation /dB</b>	<b>Corr. for tonality /dB</b>	<b>Corr. for inform. /dB</b>		<b>Special correction /dB</b>
	Lden			- 0.0	0.0	0.0	-	0.0
	<b>Rating period / Period</b>	<b>Duration h</b>	<b>Emiss. variant</b>	<b>Lw' /dB(A)</b>	<b>n times</b>	<b>Impact time /h</b>	<b>dLi /dB</b>	<b>Lw'r /dB(A)</b>
	Day (12h)	12.00	Day	80.6	1.00	0.09555	-20.99	-21.0
	Evening (4h)	4.00	Evening	-	1.00	4.00000	0.00	0.0

	Night (8h)	8.00	Night	-	1.00	8.00000	0.00	0.0		
LQCN006	Label	Transportesana_2015gada_iecirknis			Action radius/m		99999.00			
	Group	2015.gada_cirknis			Emission is		Sound power level (Lw)			
	Number of nodes	3			Emi.	Emission	Sound insul.	Correction	Lw	Lw'
	Length/ m	79.06				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	79.06			Day (12h)	103.80	-	-	103.80	84.82
	Area /m²	---			Night (8h)	-99.00	-	-	-99.00	
					Evening	-99.00	-	-	-99.00	
	Rating method	Peak level		Corr. for insensitivity /dB	Corr. for tonality /dB	Corr. for inform. /dB				Special correction /dB
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration	Emiss.	Lw' /dB(A)	n times	Impact time /h	dLi /dB			Lw'r /dB(A)
	Day (12h)	12.00	Day	84.8	1.00	0.00722	-32.21			-32.2
	Evening (4h)	4.00	Evening	-	1.00	4.00000	0.00			0.0
	Night (8h)	8.00	Night	-	1.00	8.00000	0.00			0.0
LQCN008	Label	Transportesana - Ka_oki 2			Action radius/m		99999.00			
	Group	Ka_oki 2			Emission is		Sound power level (Lw)			
	Number of nodes	2			Emi.	Emission	Sound insul.	Correction	Lw	Lw'
	Length/ m	73.63				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	73.63			Day (12h)	103.80	-	-	103.80	85.13
	Area /m²	---			Night (8h)	-99.00	-	-	-99.00	
					Evening	-99.00	-	-	-99.00	
	Rating method	Peak level		Corr. for insensitivity /dB	Corr. for tonality /dB	Corr. for inform. /dB				Special correction /dB
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration	Emiss.	Lw' /dB(A)	n times	Impact time /h	dLi /dB			Lw'r /dB(A)
	Day (12h)	12.00	Day	85.1	1.00	0.03362	-25.53			-25.5
	Evening (4h)	4.00	Evening	-	1.00	4.00000	0.00			0.0
	Night (8h)	8.00	Night	-	1.00	8.00000	0.00			0.0
LQCN009	Label	Transportesana - Mazakoti			Action radius/m		99999.00			
	Group	Mazakoti			Emission is		Sound power level (Lw)			
	Number of nodes	2			Emi.	Emission	Sound insul.	Correction	Lw	Lw'
	Length/ m	23.82				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	23.82			Day (12h)	103.80	-	-	103.80	90.03
	Area /m²	---			Night (8h)	-99.00	-	-	-99.00	
					Evening	-99.00	-	-	-99.00	
	Rating method	Peak level		Corr. for insensitivity /dB	Corr. for tonality /dB	Corr. for inform. /dB				Special correction /dB
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration	Emiss.	Lw' /dB(A)	n times	Impact time /h	dLi /dB			Lw'r /dB(A)
	Day (12h)	12.00	Day	90.0	1.00	0.00549	-33.40			-33.4
	Evening (4h)	4.00	Evening	-	1.00	4.00000	0.00			0.0
	Night (8h)	8.00	Night	-	1.00	8.00000	0.00			0.0

Area source /CNOSSOS (5)										Variant 0	
FQCN001	Label	2015. gada iecirknis			Action radius/m			99999.00			
	Group	2015.gada_cirknis			Emission is			Sound power level (Lw)			
	Number of nodes	21			Emi.	Emission	Sound insul.	Correction	Lw	Lw	
	Length/ m	1505.29				dB(A)	dB	dB	dB(A)	dB(A)	
	Length/ m (2D)	1504.76			Day (12h)	104.40	-	-	104.40	55.21	
	Area /m²	82993.34			Night (8h)	-99.00	-	-	-99.00		
					Evening	-99.00	-	-	-99.00		
	Rating method	Peak level	Corr. for insensitivity /dB	Corr. for tonality /dB	Corr. for inform. /dB	Special correction /dB					
	Lden	-	0.0	0.0	0.0	-			0.0		
	Rating period / Period	Duration	Emiss.	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)			
	Day (12h)	12.00	Day	55.2	1.00	12.00000	0.00	0.0			
	Evening (4h)	4.00	Evening	-	1.00	4.00000	0.00	0.0			
	Night (8h)	8.00	Night	-	1.00	8.00000	0.00	0.0			
FQCN002	Label	2011.g. iecirknis			Action radius/m			99999.00			
	Group	2011.gada_iecirknis			Emission is			Sound power level (Lw)			
	Number of nodes	17			Emi.	Emission	Sound insul.	Correction	Lw	Lw"	
	Length/ m	1229.91				dB(A)	dB	dB	dB(A)	dB(A)	
	Length/ m (2D)	1229.84			Day (12h)	104.40	-	-	104.40	56.43	
	Area /m²	62729.25			Night (8h)	-99.00	-	-	-99.00		



				Evening (4h)	-99.00	-	-	-99.00	
	Rating method	Peak level	Corr. for insulation /dB	Corr. for tonality (dB)	Corr. for inform. (dB)			Special correction (dB)	
	Lden	-	0.0	0.0	0.0	-		0.0	
	Rating period / Period	Duration	Emiss. (dB)	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	56.4	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	-	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	-	1.00	8.00000	0.00	0.0	
FQCN003	Label	Mazakoti		Action radius/m		99999.00			
	Group	Mazakoti		Emission is		Sound power level (Lw)			
	Number of nodes	6		Emi. (dB)	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	842.64			dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	842.60		Day (12h)	103.40	-	-	103.40	58.61
	Area /m²	30097.96		Night (8h)	-99.00	-	-	-99.00	
				Evening	-99.00	-	-	-99.00	
	Rating method	Peak level	Corr. for insulation /dB	Corr. for tonality (dB)	Corr. for inform. (dB)			Special correction (dB)	
	Lden	-	0.0	0.0	0.0	-		0.0	
	Rating period / Period	Duration	Emiss. (dB)	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	58.6	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	-	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	-	1.00	8.00000	0.00	0.0	
FQCN004	Label	Ka_oki-2		Action radius/m		99999.00			
	Group	Ka_oki 2		Emission is		Sound power level (Lw)			
	Number of nodes	9		Emi. (dB)	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	1226.71			dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	1226.71		Day (12h)	104.40	-	-	104.40	55.00
	Area /m²	87000.03		Night (8h)	-99.00	-	-	-99.00	
				Evening	-99.00	-	-	-99.00	
	Rating method	Peak level	Corr. for insulation /dB	Corr. for tonality (dB)	Corr. for inform. (dB)			Special correction (dB)	
	Lden	-	0.0	0.0	0.0	-		0.0	
	Rating period / Period	Duration	Emiss. (dB)	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	55.0	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	-	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	-	1.00	8.00000	0.00	0.0	
FQCN005	Label	Cerpji		Action radius/m		99999.00			
	Group	Cerpji - paredzeta darbiba		Emission is		Sound power level (Lw)			
	Number of nodes	13		Emi. (dB)	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	1520.85			dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	1520.56		Day (12h)	104.40	-	-	104.40	53.59
	Area /m²	120541.84		Night (8h)	-99.00	-	-	-99.00	
				Evening	-99.00	-	-	-99.00	
	Rating method	Peak level	Corr. for insulation /dB	Corr. for tonality (dB)	Corr. for inform. (dB)			Special correction (dB)	
	Lden	-	0.0	0.0	0.0	-		0.0	
	Rating period / Period	Duration	Emiss. (dB)	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	53.6	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	-	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	-	1.00	8.00000	0.00	0.0	

Slope and slope correction for roads										
Element	Name	Section	s /m	ds /m	Gradient /%	Gradient /%	Correction	Correction	Correction	Hint
			m	m	coord.	for calc.	Day (12h)	Night (8h)	Evening	
R96_027	Transportesa - Mazakoti	1	0.00	142.63	1.29	1.29	0.00	0.00	0.00	Max.
		2	142.63	125.51	-0.52	-0.52	0.00	0.00	0.00	
R96_025	Transportesana - Ka_oki 2	1	0.00	69.03	-0.56	-0.56	0.00	0.00	0.00	Max.
		2	69.03	35.59	-0.56	-0.56	0.00	0.00	0.00	
		3	104.62	93.11	-0.05	-0.05	0.00	0.00	0.00	
		4	197.73	49.93	0.12	0.12	0.00	0.00	0.00	
		5	247.66	4.25	0.10	0.10	0.00	0.00	0.00	
R96_015	Cerpji - 2. alternativa	1	0.00	20.03	2.50	2.50	0.96	0.00	0.00	Max.
		2	20.03	9.00	0.19	0.19	0.00	0.00	0.00	
		3	29.04	63.72	1.54	1.54	0.00	0.00	0.00	
		4	92.76	2.19	0.00	0.00	0.00	0.00	0.00	

		5	94.94	105.95	0.00	0.00	0.00	0.00	0.00	
		6	200.89	0.59	0.00	0.00	0.00	0.00	0.00	
		7	201.48	5.74	0.00	0.00	0.00	0.00	0.00	
		8	207.22	2.93	0.00	0.00	0.00	0.00	0.00	
		9	210.16	59.04	0.18	0.18	0.00	0.00	0.00	
		10	269.19	17.92	1.15	1.15	0.00	0.00	0.00	
		11	287.11	77.39	2.34	2.34	0.96	0.00	0.00	
		12	364.51	90.44	0.81	0.81	0.00	0.00	0.00	
		13	454.95	10.63	-0.31	-0.31	0.00	0.00	0.00	
		14	465.57	21.23	-0.31	-0.31	0.00	0.00	0.00	
		15	486.80	104.29	-0.57	-0.57	0.00	0.00	0.00	
		16	591.09	50.04	-0.34	-0.34	0.00	0.00	0.00	
		17	641.13	1.44	0.00	0.00	0.00	0.00	0.00	
		18	642.56	189.27	0.00	0.00	0.00	0.00	0.00	
		19	831.83	52.76	0.00	0.00	0.00	0.00	0.00	
		20	884.59	22.84	0.00	0.00	0.00	0.00	0.00	
		21	907.42	17.08	0.00	0.00	0.00	0.00	0.00	
		22	924.50	14.64	0.00	0.00	0.00	0.00	0.00	
		23	939.14	29.62	0.00	0.00	0.00	0.00	0.00	
		24	968.76	56.22	0.00	0.00	0.00	0.00	0.00	
		25	1024.98	83.36	0.00	0.00	0.00	0.00	0.00	
		26	1108.33	37.60	0.00	0.00	0.00	0.00	0.00	
		27	1145.93	83.40	0.00	0.00	0.00	0.00	0.00	
		28	1229.33	19.06	0.00	0.00	0.00	0.00	0.00	
		29	1248.39	5.35	0.00	0.00	0.00	0.00	0.00	
		30	1253.74	50.43	0.00	0.00	0.00	0.00	0.00	
		31	1304.17	46.13	0.35	0.35	0.00	0.00	0.00	
		32	1350.30	0.03	0.00	0.00	0.00	0.00	0.00	
		33	1350.33	71.71	-0.23	-0.23	0.00	0.00	0.00	
		34	1422.03	7.31	0.00	0.00	0.00	0.00	0.00	
		35	1429.35	42.23	0.00	0.00	0.00	0.00	0.00	
		36	1471.58	5.52	-1.43	-1.43	0.00	0.00	0.00	
		37	1477.10	3.17	-1.19	-1.19	0.00	0.00	0.00	
		38	1480.28	2.46	-1.19	-1.19	0.00	0.00	0.00	
		39	1482.74	114.22	0.13	0.13	0.00	0.00	0.00	
		40	1596.96	3.91	0.00	0.00	0.00	0.00	0.00	
		41	1600.86	9.36	0.00	0.00	0.00	0.00	0.00	
		42	1610.22	8.07	0.00	0.00	0.00	0.00	0.00	
		43	1618.29	110.74	0.49	0.49	0.00	0.00	0.00	
		44	1729.03	48.85	0.94	0.94	0.00	0.00	0.00	
		45	1777.89	69.95	0.00	0.00	0.00	0.00	0.00	
		46	1847.84	94.76	0.95	0.95	0.00	0.00	0.00	
		47	1942.60	12.95	0.78	0.78	0.00	0.00	0.00	
		48	1955.55	24.52	0.00	0.00	0.00	0.00	0.00	
R96_005	P98	1	0.00	121.38	0.00	0.00	0.00	0.00	0.00	
		2	121.38	59.47	0.00	0.00	0.00	0.00	0.00	
		3	180.85	55.53	0.00	0.00	0.00	0.00	0.00	
		4	236.38	70.41	0.00	0.00	0.00	0.00	0.00	
		5	306.79	124.91	0.00	0.00	0.00	0.00	0.00	
		6	431.71	95.75	0.00	0.00	0.00	0.00	0.00	
		7	527.46	33.81	2.96	2.96	0.02	0.02	0.03	Max.
		8	561.27	2.46	0.00	0.00	0.00	0.00	0.00	
		9	563.73	8.60	0.00	0.00	0.00	0.00	0.00	
		10	572.33	5.22	0.00	0.00	0.00	0.00	0.00	
		11	577.56	1.89	0.00	0.00	0.00	0.00	0.00	
		12	579.45	0.97	0.00	0.00	0.00	0.00	0.00	
		13	580.42	5.55	0.00	0.00	0.00	0.00	0.00	
		14	585.97	3.28	0.00	0.00	0.00	0.00	0.00	
		15	589.26	1.64	0.00	0.00	0.00	0.00	0.00	
		16	590.90	6.43	0.00	0.00	0.00	0.00	0.00	
		17	597.33	11.53	0.00	0.00	0.00	0.00	0.00	

		18	608.86	1.19	0.00	0.00	0.00	0.00	0.00	
		19	610.05	133.78	0.00	0.00	0.00	0.00	0.00	
		20	743.84	103.43	0.97	0.97	0.00	0.00	0.00	
		21	847.26	3.44	0.00	0.00	0.00	0.00	0.00	
		22	850.70	2.12	0.00	0.00	0.00	0.00	0.00	
		23	852.83	2.61	0.00	0.00	0.00	0.00	0.00	
		24	855.44	6.07	0.00	0.00	0.00	0.00	0.00	
		25	861.51	12.25	0.00	0.00	0.00	0.00	0.00	
		26	873.76	0.35	0.00	0.00	0.00	0.00	0.00	
		27	874.11	6.31	0.00	0.00	0.00	0.00	0.00	
		28	880.42	1.31	0.00	0.00	0.00	0.00	0.00	
		29	881.73	35.04	0.00	0.00	0.00	0.00	0.00	
		30	916.77	167.98	0.57	0.57	0.00	0.00	0.00	
		31	1084.75	3.84	1.26	1.26	0.00	0.00	0.00	
		32	1088.59	5.19	0.00	0.00	0.00	0.00	0.00	
		33	1093.78	0.29	0.00	0.00	0.00	0.00	0.00	
		34	1094.07	3.63	0.00	0.00	0.00	0.00	0.00	
		35	1097.69	5.63	0.00	0.00	0.00	0.00	0.00	
		36	1103.33	106.71	0.00	0.00	0.00	0.00	0.00	
		37	1210.04	38.23	0.00	0.00	0.00	0.00	0.00	
		38	1248.27	3.33	0.00	0.00	0.00	0.00	0.00	
R96_014	Cerpji - 1. alternativa	1	0.00	16.99	-0.08	-0.08	0.00	0.00	0.00	
		2	16.99	135.95	-0.31	-0.31	0.00	0.00	0.00	
		3	152.94	1.17	-0.56	-0.56	0.00	0.00	0.00	
		4	154.11	127.53	-0.19	-0.19	0.00	0.00	0.00	
		5	281.64	49.93	0.12	0.12	0.00	0.00	0.00	
		6	331.57	4.25	0.10	0.10	0.00	0.00	0.00	
		7	335.82	50.04	-0.34	-0.34	0.00	0.00	0.00	
		8	385.86	1.44	0.00	0.00	0.00	0.00	0.00	
		9	387.29	189.27	0.00	0.00	0.00	0.00	0.00	
		10	576.56	52.76	0.00	0.00	0.00	0.00	0.00	
		11	629.32	22.84	0.00	0.00	0.00	0.00	0.00	
		12	652.15	17.08	0.00	0.00	0.00	0.00	0.00	
		13	669.23	14.64	0.00	0.00	0.00	0.00	0.00	
		14	683.86	29.62	0.00	0.00	0.00	0.00	0.00	
		15	713.49	56.22	0.00	0.00	0.00	0.00	0.00	
		16	769.71	83.36	0.00	0.00	0.00	0.00	0.00	
		17	853.06	37.60	0.00	0.00	0.00	0.00	0.00	
		18	890.66	83.40	0.00	0.00	0.00	0.00	0.00	
		19	974.06	19.06	0.00	0.00	0.00	0.00	0.00	
		20	993.12	5.35	0.00	0.00	0.00	0.00	0.00	
		21	998.47	50.43	0.00	0.00	0.00	0.00	0.00	
		22	1048.90	46.13	0.35	0.35	0.00	0.00	0.00	
		23	1095.03	0.03	0.00	0.00	0.00	0.00	0.00	
		24	1095.05	71.71	-0.23	-0.23	0.00	0.00	0.00	
		25	1166.76	7.31	0.00	0.00	0.00	0.00	0.00	
		26	1174.08	42.23	0.00	0.00	0.00	0.00	0.00	
		27	1216.31	5.52	-1.43	-1.43	0.00	0.00	0.00	Max.
		28	1221.83	3.17	-1.19	-1.19	0.00	0.00	0.00	
		29	1225.00	2.46	-1.19	-1.19	0.00	0.00	0.00	
		30	1227.47	114.22	0.13	0.13	0.00	0.00	0.00	
		31	1341.68	3.91	0.00	0.00	0.00	0.00	0.00	
		32	1345.59	9.36	0.00	0.00	0.00	0.00	0.00	
		33	1354.95	8.07	0.00	0.00	0.00	0.00	0.00	
		34	1363.02	110.74	0.49	0.49	0.00	0.00	0.00	
		35	1473.76	48.85	0.94	0.94	0.00	0.00	0.00	
		36	1522.61	69.95	0.00	0.00	0.00	0.00	0.00	
		37	1592.56	94.76	0.95	0.95	0.00	0.00	0.00	
		38	1687.33	12.95	0.78	0.78	0.00	0.00	0.00	
		39	1700.27	24.52	0.00	0.00	0.00	0.00	0.00	
		40	1724.79	4.26	0.00	0.00	0.00	0.00	0.00	

R96_008	A10	1	0.00	11.52	0.00	0.00	0.00	0.00	0.00	
		2	11.52	13.98	0.00	0.00	0.00	0.00	0.00	
		3	25.49	45.90	-2.18	-2.18	0.00	0.00	0.00	
		4	71.39	8.22	0.00	0.00	0.00	0.00	0.00	
		5	79.62	42.90	-2.33	-2.33	0.00	0.00	0.00	
		6	122.52	10.03	0.00	0.00	0.00	0.00	0.00	
		7	132.55	12.38	-2.95	-2.95	0.00	0.00	0.00	
		8	144.92	23.96	-2.65	-2.65	0.00	0.00	0.00	
		9	168.88	42.70	-2.34	-2.34	0.00	0.00	0.00	
		10	211.58	1.58	-5.48	-5.48	0.00	0.00	0.00	
		11	213.16	35.27	-2.59	-2.59	0.00	0.00	0.00	
		12	248.43	31.09	-3.22	-3.22	0.00	0.00	0.00	
		13	279.53	32.34	-3.09	-3.09	0.00	0.00	0.00	
		14	311.87	4.24	-5.23	-5.23	0.00	0.00	0.00	
		15	316.11	32.66	-2.38	-2.38	0.00	0.00	0.00	
		16	348.77	29.26	-3.42	-3.42	0.00	0.00	0.00	
		17	378.03	28.96	-3.45	-3.45	0.00	0.00	0.00	
		18	406.99	1.00	0.00	0.00	0.00	0.00	0.00	
		19	408.00	23.47	-4.26	-4.26	0.00	0.00	0.00	
		20	431.47	27.99	-3.57	-3.57	0.00	0.00	0.00	
		21	459.46	24.26	-4.12	-4.12	0.00	0.00	0.00	
		22	483.72	14.18	-4.73	-4.73	0.00	0.00	0.00	
		23	497.90	12.01	-2.74	-2.74	0.00	0.00	0.00	
		24	509.91	28.28	-3.54	-3.54	0.00	0.00	0.00	
		25	538.19	18.76	-5.33	-5.33	0.00	0.00	0.00	
		26	556.95	8.92	0.00	0.00	0.00	0.00	0.00	
		27	565.88	10.50	-9.52	-9.52	0.00	0.00	0.00	Max.
		28	576.38	3.00	0.00	0.00	0.00	0.00	0.00	
		29	579.39	3.00	0.00	0.00	0.00	0.00	0.00	
		30	582.39	11.59	0.00	0.00	0.00	0.00	0.00	
		31	593.98	31.49	-3.18	-3.18	0.00	0.00	0.00	
		32	625.48	39.74	-2.52	-2.52	0.00	0.00	0.00	
		33	665.22	41.40	-2.42	-2.42	0.00	0.00	0.00	
		34	706.62	27.64	-3.62	-3.62	0.00	0.00	0.00	
		35	734.25	17.68	0.00	0.00	0.00	0.00	0.00	
		36	751.94	67.96	-1.47	-1.47	0.00	0.00	0.00	
		37	819.89	10.34	0.00	0.00	0.00	0.00	0.00	
		38	830.23	79.27	-1.26	-1.26	0.00	0.00	0.00	
		39	909.50	20.61	0.00	0.00	0.00	0.00	0.00	
		40	930.11	41.35	-2.42	-2.42	0.00	0.00	0.00	
		41	971.46	47.33	0.00	0.00	0.00	0.00	0.00	
		42	1018.79	56.41	0.00	0.00	0.00	0.00	0.00	
		43	1075.20	38.70	0.00	0.00	0.00	0.00	0.00	
		44	1113.90	26.14	-0.42	-0.42	0.00	0.00	0.00	
		45	1140.04	37.97	-2.34	-2.34	0.00	0.00	0.00	
		46	1178.00	59.63	0.00	0.00	0.00	0.00	0.00	
		47	1237.63	72.89	0.00	0.00	0.00	0.00	0.00	
		48	1310.53	54.04	0.00	0.00	0.00	0.00	0.00	
		49	1364.56	52.30	0.00	0.00	0.00	0.00	0.00	
		50	1416.87	34.57	0.00	0.00	0.00	0.00	0.00	
		51	1451.44	23.97	0.00	0.00	0.00	0.00	0.00	
		52	1475.41	30.24	0.00	0.00	0.00	0.00	0.00	
		53	1505.65	39.14	0.00	0.00	0.00	0.00	0.00	
		54	1544.79	44.01	0.00	0.00	0.00	0.00	0.00	
		55	1588.80	49.15	0.00	0.00	0.00	0.00	0.00	
		56	1637.94	21.51	0.00	0.00	0.00	0.00	0.00	
		57	1659.45	33.09	-1.04	-1.04	0.00	0.00	0.00	
		58	1692.54	64.29	-1.02	-1.02	0.00	0.00	0.00	
		59	1756.83	36.37	0.00	0.00	0.00	0.00	0.00	
		60	1793.20	58.67	0.00	0.00	0.00	0.00	0.00	
		61	1851.87	44.23	0.00	0.00	0.00	0.00	0.00	

		62	1896.11	44.27	0.00	0.00	0.00	0.00	0.00	
		63	1940.38	13.07	0.00	0.00	0.00	0.00	0.00	
		64	1953.45	44.10	-2.27	-2.27	0.00	0.00	0.00	
		65	1997.55	40.73	0.00	0.00	0.00	0.00	0.00	
		66	2038.28	24.35	-3.66	-3.66	0.00	0.00	0.00	
		67	2062.63	45.87	-0.24	-0.24	0.00	0.00	0.00	
		68	2108.49	8.64	0.00	0.00	0.00	0.00	0.00	
		69	2117.13	32.97	-3.03	-3.03	0.00	0.00	0.00	
		70	2150.11	58.59	0.00	0.00	0.00	0.00	0.00	
		71	2208.70	0.65	0.00	0.00	0.00	0.00	0.00	
		72	2209.35	1.86	0.00	0.00	0.00	0.00	0.00	
		73	2211.21	2.60	-4.02	-4.02	0.00	0.00	0.00	
		74	2213.80	26.89	-3.33	-3.33	0.00	0.00	0.00	
		75	2240.69	3.01	0.00	0.00	0.00	0.00	0.00	
		76	2243.70	3.01	0.00	0.00	0.00	0.00	0.00	
		77	2246.72	52.10	0.00	0.00	0.00	0.00	0.00	
		78	2298.82	132.95	0.00	0.00	0.00	0.00	0.00	
		79	2431.77	56.94	0.00	0.00	0.00	0.00	0.00	
		80	2488.71	22.13	0.00	0.00	0.00	0.00	0.00	
R96_022	Transportesana_2015gada_iecirknis	1	0.00	93.11	-0.05	-0.05	0.00	0.00	0.00	
		2	93.11	49.93	0.12	0.12	0.00	0.00	0.00	Max.
		3	143.04	4.25	0.10	0.10	0.00	0.00	0.00	
R96_003	P98	1	0.00	0.50	0.00	0.00	0.00	0.00	0.00	
		2	0.50	4.76	0.00	0.00	0.00	0.00	0.00	
		3	5.26	0.56	0.00	0.00	0.00	0.00	0.00	
		4	5.82	2.17	0.00	0.00	0.00	0.00	0.00	
		5	7.99	1.97	0.00	0.00	0.00	0.00	0.00	
		6	9.96	6.95	0.00	0.00	0.00	0.00	0.00	
		7	16.91	9.53	0.00	0.00	0.00	0.00	0.00	
		8	26.43	3.33	0.00	0.00	0.00	0.00	0.00	
		9	29.77	11.50	0.00	0.00	0.00	0.00	0.00	
		10	41.27	2.29	0.00	0.00	0.00	0.00	0.00	
		11	43.56	13.67	0.00	0.00	0.00	0.00	0.00	
		12	57.23	51.97	0.00	0.00	0.00	0.00	0.00	
		13	109.20	96.34	0.00	0.00	0.00	0.00	0.00	
		14	205.54	52.97	1.89	1.89	0.00	0.00	0.00	
		15	258.52	96.72	0.00	0.00	0.00	0.00	0.00	
		16	355.24	173.90	0.00	0.00	0.00	0.00	0.00	
		17	529.14	57.89	0.00	0.00	0.00	0.00	0.00	
		18	587.03	44.80	0.00	0.00	0.00	0.00	0.00	
		19	631.83	4.79	0.00	0.00	0.00	0.00	0.00	
		20	636.61	7.54	0.00	0.00	0.00	0.00	0.00	
		21	644.15	66.47	-1.50	-1.50	0.00	0.00	0.00	
		22	710.62	38.54	0.00	0.00	0.00	0.00	0.00	
		23	749.17	113.37	0.00	0.00	0.00	0.00	0.00	
		24	862.54	4.78	0.00	0.00	0.00	0.00	0.00	
		25	867.32	5.48	0.00	0.00	0.00	0.00	0.00	
		26	872.80	7.65	0.00	0.00	0.00	0.00	0.00	
		27	880.45	13.72	0.00	0.00	0.00	0.00	0.00	
		28	894.17	1.45	0.00	0.00	0.00	0.00	0.00	
		29	895.62	42.28	-2.37	-2.37	0.00	0.00	0.00	Max.
		30	937.90	55.02	0.00	0.00	0.00	0.00	0.00	
		31	992.93	49.63	0.00	0.00	0.00	0.00	0.00	
		32	1042.56	187.27	0.00	0.00	0.00	0.00	0.00	
		33	1229.83	95.89	0.00	0.00	0.00	0.00	0.00	
R96_011	4-9	1	0.00	4.26	0.00	0.00	0.00	0.00	0.00	
		2	4.26	24.52	0.00	0.00	0.00	0.00	0.00	
		3	28.78	12.95	-0.78	-0.78	0.00	0.00	0.00	
		4	41.72	94.76	-0.95	-0.95	0.00	0.00	0.00	
		5	136.49	69.95	0.00	0.00	0.00	0.00	0.00	
		6	206.44	48.85	-0.94	-0.94	0.00	0.00	0.00	

		7	255.29	110.74	-0.49	-0.49	0.00	0.00	0.00	
		8	366.03	8.07	0.00	0.00	0.00	0.00	0.00	
		9	374.10	9.36	0.00	0.00	0.00	0.00	0.00	
		10	383.46	3.91	0.00	0.00	0.00	0.00	0.00	
		11	387.37	114.22	-0.13	-0.13	0.00	0.00	0.00	
		12	501.59	2.46	1.19	1.19	0.00	0.00	0.00	
		13	504.05	3.17	1.19	1.19	0.00	0.00	0.00	
		14	507.22	5.52	1.43	1.43	0.00	0.00	0.00	Max.
		15	512.74	42.23	0.00	0.00	0.00	0.00	0.00	
		16	554.97	7.31	0.00	0.00	0.00	0.00	0.00	
		17	562.29	71.71	0.23	0.23	0.00	0.00	0.00	
		18	634.00	0.03	0.00	0.00	0.00	0.00	0.00	
		19	634.02	46.13	-0.35	-0.35	0.00	0.00	0.00	
		20	680.15	50.43	0.00	0.00	0.00	0.00	0.00	
		21	730.58	5.35	0.00	0.00	0.00	0.00	0.00	
		22	735.93	19.06	0.00	0.00	0.00	0.00	0.00	
		23	754.99	83.40	0.00	0.00	0.00	0.00	0.00	
		24	838.39	37.60	0.00	0.00	0.00	0.00	0.00	
		25	875.99	83.36	0.00	0.00	0.00	0.00	0.00	
		26	959.34	56.22	0.00	0.00	0.00	0.00	0.00	
		27	1015.56	29.62	0.00	0.00	0.00	0.00	0.00	
		28	1045.19	14.64	0.00	0.00	0.00	0.00	0.00	
		29	1059.82	17.08	0.00	0.00	0.00	0.00	0.00	
		30	1076.90	22.84	0.00	0.00	0.00	0.00	0.00	
		31	1099.73	52.76	0.00	0.00	0.00	0.00	0.00	
		32	1152.49	189.27	0.00	0.00	0.00	0.00	0.00	
		33	1341.76	1.44	0.00	0.00	0.00	0.00	0.00	
		34	1343.19	50.04	0.34	0.34	0.00	0.00	0.00	
R96_007	4-20	1	0.00	13.48	1.40	1.40	0.00	0.00	0.00	
		2	13.48	13.39	-0.27	-0.27	0.00	0.00	0.00	
		3	26.87	25.66	-0.19	-0.19	0.00	0.00	0.00	
		4	52.53	63.49	1.41	1.41	0.00	0.00	0.00	
		5	116.02	11.54	0.00	0.00	0.00	0.00	0.00	
		6	127.56	14.09	0.00	0.00	0.00	0.00	0.00	
		7	141.65	29.61	0.00	0.00	0.00	0.00	0.00	
		8	171.26	85.09	1.18	1.18	0.00	0.00	0.00	
		9	256.35	56.63	1.77	1.77	0.00	0.00	0.00	
		10	312.98	174.04	0.14	0.14	0.00	0.00	0.00	
		11	487.02	225.07	0.34	0.34	0.00	0.00	0.00	
		12	712.09	190.30	0.53	0.53	0.00	0.00	0.00	
		13	902.38	211.35	2.01	2.01	0.05	0.04	0.05	Max.
		14	1113.73	3.22	4.97	4.97	0.05	0.04	0.05	
		15	1116.96	3.22	4.95	4.95	0.05	0.04	0.05	
		16	1120.18	49.72	4.47	4.47	0.05	0.04	0.05	
		17	1169.90	45.98	4.16	4.16	0.05	0.04	0.05	
		18	1215.88	14.85	3.38	3.38	0.05	0.04	0.05	
		19	1230.73	14.17	4.20	4.20	0.05	0.04	0.05	
		20	1244.91	13.16	4.81	4.81	0.05	0.04	0.05	
		21	1258.06	10.02	5.12	5.12	0.05	0.04	0.05	
		22	1268.08	22.15	4.46	4.46	0.05	0.04	0.05	
		23	1290.23	43.48	5.60	5.60	0.05	0.04	0.05	
		24	1333.70	72.06	3.34	3.34	0.05	0.04	0.05	
		25	1405.76	30.94	3.22	3.22	0.05	0.04	0.05	
		26	1436.71	16.37	4.82	4.82	0.05	0.04	0.05	
		27	1453.07	30.11	5.62	5.62	0.05	0.04	0.05	
		28	1483.18	25.66	3.34	3.34	0.05	0.04	0.05	
		29	1508.85	19.03	2.11	2.11	0.05	0.04	0.05	
		30	1527.88	29.04	1.78	1.78	0.00	0.00	0.00	
		31	1556.92	65.91	1.49	1.49	0.00	0.00	0.00	
		32	1622.82	192.17	0.16	0.16	0.00	0.00	0.00	
		33	1815.00	178.46	1.41	1.41	0.00	0.00	0.00	

		34	1993.46	125.51	-0.52	-0.52	0.00	0.00	0.00	
R96_020	Transportesa_2011.gada iecirknis	1	0.00	29.04	1.78	1.78	0.00	0.00	0.00	Max.
		2	29.04	65.91	1.49	1.49	0.00	0.00	0.00	
		3	94.94	192.17	0.16	0.16	0.00	0.00	0.00	
		4	287.11	178.46	1.41	1.41	0.00	0.00	0.00	
		5	465.57	125.51	-0.52	-0.52	0.00	0.00	0.00	
R96_028	Transportesana_Ka_oki 2	1	0.00	4.26	0.00	0.00	0.00	0.00	0.00	
		2	4.26	24.52	0.00	0.00	0.00	0.00	0.00	
		3	28.78	12.95	-0.78	-0.78	0.00	0.00	0.00	
		4	41.72	94.76	-0.95	-0.95	0.00	0.00	0.00	
		5	136.49	69.95	0.00	0.00	0.00	0.00	0.00	
		6	206.44	48.85	-0.94	-0.94	0.00	0.00	0.00	
		7	255.29	110.74	-0.49	-0.49	0.00	0.00	0.00	
		8	366.03	8.07	0.00	0.00	0.00	0.00	0.00	
		9	374.10	9.36	0.00	0.00	0.00	0.00	0.00	
		10	383.46	3.91	0.00	0.00	0.00	0.00	0.00	
		11	387.37	114.22	-0.13	-0.13	0.00	0.00	0.00	
		12	501.59	2.46	1.19	1.19	0.00	0.00	0.00	
		13	504.05	3.17	1.19	1.19	0.00	0.00	0.00	
		14	507.22	5.52	1.43	1.43	0.00	0.00	0.00	Max.
		15	512.74	42.23	0.00	0.00	0.00	0.00	0.00	
		16	554.97	7.31	0.00	0.00	0.00	0.00	0.00	
		17	562.29	71.71	0.23	0.23	0.00	0.00	0.00	
		18	634.00	0.03	0.00	0.00	0.00	0.00	0.00	
		19	634.02	46.13	-0.35	-0.35	0.00	0.00	0.00	
		20	680.15	50.43	0.00	0.00	0.00	0.00	0.00	
		21	730.58	5.35	0.00	0.00	0.00	0.00	0.00	
		22	735.93	19.06	0.00	0.00	0.00	0.00	0.00	
		23	754.99	83.40	0.00	0.00	0.00	0.00	0.00	
		24	838.39	37.60	0.00	0.00	0.00	0.00	0.00	
		25	875.99	83.36	0.00	0.00	0.00	0.00	0.00	
		26	959.34	56.22	0.00	0.00	0.00	0.00	0.00	
		27	1015.56	29.62	0.00	0.00	0.00	0.00	0.00	
		28	1045.19	14.64	0.00	0.00	0.00	0.00	0.00	
		29	1059.82	17.08	0.00	0.00	0.00	0.00	0.00	
		30	1076.90	22.84	0.00	0.00	0.00	0.00	0.00	
		31	1099.73	52.76	0.00	0.00	0.00	0.00	0.00	
		32	1152.49	189.27	0.00	0.00	0.00	0.00	0.00	
		33	1341.76	1.44	0.00	0.00	0.00	0.00	0.00	
		34	1343.19	50.04	0.34	0.34	0.00	0.00	0.00	
R96_012	P98	1	0.00	87.60	0.01	0.01	0.00	0.00	0.00	Max.
		2	87.60	178.99	0.00	0.00	0.00	0.00	0.00	
		3	266.59	132.05	0.00	0.00	0.00	0.00	0.00	
		4	398.63	33.86	0.00	0.00	0.00	0.00	0.00	
		5	432.49	122.08	0.00	0.00	0.00	0.00	0.00	
R96_010	A10	1	0.00	47.11	0.00	0.00	0.00	0.00	0.00	
		2	47.11	36.42	2.75	2.75	0.02	0.02	0.03	Max.
		3	83.53	1.80	0.00	0.00	0.00	0.00	0.00	
		4	85.33	27.85	0.00	0.00	0.00	0.00	0.00	
		5	113.18	47.13	0.00	0.00	0.00	0.00	0.00	
		6	160.30	41.39	2.42	2.42	0.02	0.02	0.03	
		7	201.69	5.15	0.00	0.00	0.00	0.00	0.00	
		8	206.84	36.78	0.00	0.00	0.00	0.00	0.00	
		9	243.62	54.74	0.66	0.66	0.00	0.00	0.00	
		10	298.36	9.76	1.88	1.88	0.00	0.00	0.00	
		11	308.12	5.03	1.88	1.88	0.00	0.00	0.00	
R96_002	A10	1	0.00	59.46	0.60	0.60	0.00	0.00	0.00	
		2	59.46	85.55	0.00	0.00	0.00	0.00	0.00	
		3	145.02	5.00	0.00	0.00	0.00	0.00	0.00	
		4	150.02	15.05	0.00	0.00	0.00	0.00	0.00	
		5	165.07	30.99	0.00	0.00	0.00	0.00	0.00	

		6	196.05	136.59	0.00	0.00	0.00	0.00	0.00	
		7	332.64	65.45	1.53	1.53	0.00	0.00	0.00	
		8	398.09	2.40	0.00	0.00	0.00	0.00	0.00	
		9	400.50	2.26	0.00	0.00	0.00	0.00	0.00	
		10	402.76	19.36	0.00	0.00	0.00	0.00	0.00	
		11	422.12	81.77	1.22	1.22	0.00	0.00	0.00	
		12	503.89	31.84	0.00	0.00	0.00	0.00	0.00	
		13	535.73	53.68	1.86	1.86	0.00	0.00	0.00	
		14	589.41	81.53	0.00	0.00	0.00	0.00	0.00	
		15	670.94	80.99	0.00	0.00	0.00	0.00	0.00	
		16	751.93	30.08	-2.48	-2.48	0.00	0.00	0.00	
		17	782.01	17.62	-1.43	-1.43	0.00	0.00	0.00	
		18	799.63	38.24	0.00	0.00	0.00	0.00	0.00	
		19	837.87	31.11	-3.21	-3.21	0.00	0.00	0.00	Max.
		20	868.98	86.97	0.00	0.00	0.00	0.00	0.00	
		21	955.95	12.25	0.00	0.00	0.00	0.00	0.00	
		22	968.20	1.47	0.00	0.00	0.00	0.00	0.00	
		23	969.68	6.02	0.00	0.00	0.00	0.00	0.00	
		24	975.70	1.12	0.00	0.00	0.00	0.00	0.00	
		25	976.82	13.03	0.00	0.00	0.00	0.00	0.00	
		26	989.85	18.94	0.00	0.00	0.00	0.00	0.00	
		27	1008.79	9.92	0.00	0.00	0.00	0.00	0.00	
		28	1018.71	7.47	0.00	0.00	0.00	0.00	0.00	
		29	1026.18	0.69	0.00	0.00	0.00	0.00	0.00	
		30	1026.86	5.33	0.00	0.00	0.00	0.00	0.00	
		31	1032.19	1.82	0.00	0.00	0.00	0.00	0.00	
		32	1034.02	10.34	0.00	0.00	0.00	0.00	0.00	
		33	1044.35	2.90	0.00	0.00	0.00	0.00	0.00	
		34	1047.25	11.77	0.00	0.00	0.00	0.00	0.00	
		35	1059.02	19.81	0.00	0.00	0.00	0.00	0.00	
		36	1078.83	50.31	0.00	0.00	0.00	0.00	0.00	
		37	1129.14	0.51	0.00	0.00	0.00	0.00	0.00	
		38	1129.64	1.46	0.00	0.00	0.00	0.00	0.00	
		39	1131.10	21.00	0.00	0.00	0.00	0.00	0.00	
		40	1152.10	1.42	0.00	0.00	0.00	0.00	0.00	
		41	1153.52	21.85	0.00	0.00	0.00	0.00	0.00	
		42	1175.37	1.05	0.00	0.00	0.00	0.00	0.00	
		43	1176.42	4.57	0.00	0.00	0.00	0.00	0.00	
		44	1180.99	5.83	0.00	0.00	0.00	0.00	0.00	
		45	1186.81	4.00	0.00	0.00	0.00	0.00	0.00	
		46	1190.82	0.29	0.00	0.00	0.00	0.00	0.00	
		47	1191.10	12.48	0.00	0.00	0.00	0.00	0.00	
		48	1203.58	11.23	0.00	0.00	0.00	0.00	0.00	
		49	1214.81	13.16	0.00	0.00	0.00	0.00	0.00	
		50	1227.97	3.07	0.00	0.00	0.00	0.00	0.00	
		51	1231.03	3.56	0.00	0.00	0.00	0.00	0.00	
		52	1234.60	2.99	0.00	0.00	0.00	0.00	0.00	
		53	1237.58	20.95	0.00	0.00	0.00	0.00	0.00	
		54	1258.53	2.30	0.00	0.00	0.00	0.00	0.00	
		55	1260.83	0.92	0.00	0.00	0.00	0.00	0.00	
		56	1261.76	26.34	0.00	0.00	0.00	0.00	0.00	
		57	1288.10	22.47	0.00	0.00	0.00	0.00	0.00	
		58	1310.57	6.95	0.00	0.00	0.00	0.00	0.00	
		59	1317.52	2.60	0.00	0.00	0.00	0.00	0.00	
		60	1320.12	1.44	0.00	0.00	0.00	0.00	0.00	
		61	1321.56	12.65	0.00	0.00	0.00	0.00	0.00	
		62	1334.21	4.70	0.00	0.00	0.00	0.00	0.00	
		63	1338.91	3.27	0.00	0.00	0.00	0.00	0.00	
		64	1342.18	3.80	0.00	0.00	0.00	0.00	0.00	
		65	1345.98	8.40	0.00	0.00	0.00	0.00	0.00	
		66	1354.38	1.44	0.00	0.00	0.00	0.00	0.00	



		67	1355.83	21.22	0.00	0.00	0.00	0.00	0.00	
		68	1377.04	8.63	0.00	0.00	0.00	0.00	0.00	
		69	1385.68	14.76	0.00	0.00	0.00	0.00	0.00	
		70	1400.44	44.30	-0.07	-0.07	0.00	0.00	0.00	
R96_001	4-9	1	0.00	4.25	-0.10	-0.10	0.00	0.00	0.00	
		2	4.25	49.93	-0.12	-0.12	0.00	0.00	0.00	
		3	54.18	127.53	0.19	0.19	0.00	0.00	0.00	
		4	181.71	1.17	0.56	0.56	0.00	0.00	0.00	
		5	182.88	156.54	0.28	0.28	0.00	0.00	0.00	
		6	339.42	60.10	0.08	0.08	0.00	0.00	0.00	
		7	399.52	27.86	-0.25	-0.25	0.00	0.00	0.00	
		8	427.38	151.36	-0.42	-0.42	0.00	0.00	0.00	
		9	578.74	63.02	1.37	1.37	0.00	0.00	0.00	
		10	641.75	6.84	0.00	0.00	0.00	0.00	0.00	
		11	648.59	250.33	0.00	0.00	0.00	0.00	0.00	
		12	898.92	123.43	0.00	0.00	0.00	0.00	0.00	
		13	1022.35	66.22	-1.32	-1.32	0.00	0.00	0.00	
		14	1088.57	12.18	-1.04	-1.04	0.00	0.00	0.00	
		15	1100.75	80.72	-0.34	-0.34	0.00	0.00	0.00	
		16	1181.47	83.75	-0.52	-0.52	0.00	0.00	0.00	
		17	1265.22	40.92	-0.71	-0.71	0.00	0.00	0.00	
		18	1306.14	45.28	-1.96	-1.96	0.00	0.00	0.00	
		19	1351.43	10.32	-1.10	-1.10	0.00	0.00	0.00	
		20	1361.74	48.88	-2.05	-2.05	0.00	0.00	0.00	
		21	1410.62	44.40	-2.25	-2.25	0.00	0.00	0.00	
		22	1455.02	48.87	-2.05	-2.05	0.00	0.00	0.00	
		23	1503.89	7.03	0.00	0.00	0.00	0.00	0.00	
		24	1510.92	14.31	-1.46	-1.46	0.00	0.00	0.00	
		25	1525.23	3.09	-2.03	-2.03	0.00	0.00	0.00	
		26	1528.32	47.11	-1.55	-1.55	0.00	0.00	0.00	
		27	1575.42	37.60	-1.64	-1.64	0.00	0.00	0.00	
		28	1613.03	3.70	-1.19	-1.19	0.00	0.00	0.00	
		29	1616.73	34.45	-0.99	-0.99	0.00	0.00	0.00	
		30	1651.18	23.12	0.00	0.00	0.00	0.00	0.00	
		31	1674.31	97.75	0.16	0.16	0.00	0.00	0.00	
		32	1772.05	22.10	-0.73	-0.73	0.00	0.00	0.00	
		33	1794.16	0.58	0.00	0.00	0.00	0.00	0.00	
		34	1794.74	17.12	0.00	0.00	0.00	0.00	0.00	
		35	1811.85	10.63	0.00	0.00	0.00	0.00	0.00	
		36	1822.48	15.25	0.00	0.00	0.00	0.00	0.00	
		37	1837.74	19.33	0.00	0.00	0.00	0.00	0.00	
		38	1857.06	13.64	2.10	2.10	0.05	0.04	0.05	Max.
		39	1870.71	9.07	7.86	7.86	0.05	0.04	0.05	
		40	1879.78	2.63	0.00	0.00	0.00	0.00	0.00	
		41	1882.41	10.03	0.00	0.00	0.00	0.00	0.00	
		42	1892.44	10.15	4.34	4.34	0.05	0.04	0.05	
		43	1902.59	8.00	6.98	6.98	0.05	0.04	0.05	
		44	1910.59	6.01	0.00	0.00	0.00	0.00	0.00	
		45	1916.61	6.71	2.55	2.55	0.05	0.04	0.05	
		46	1923.31	24.24	3.42	3.42	0.05	0.04	0.05	
		47	1947.55	0.51	0.00	0.00	0.00	0.00	0.00	
		48	1948.06	29.66	2.46	2.46	0.05	0.04	0.05	
		49	1977.73	11.63	2.33	2.33	0.05	0.04	0.05	
		50	1989.36	2.92	4.44	4.44	0.05	0.04	0.05	
		51	1992.27	16.55	2.40	2.40	0.05	0.04	0.05	
		52	2008.82	22.34	1.27	1.27	0.00	0.00	0.00	
		53	2031.15	18.52	1.03	1.03	0.00	0.00	0.00	
		54	2049.67	4.47	2.47	2.47	0.05	0.04	0.05	
		55	2054.14	35.70	1.88	1.88	0.00	0.00	0.00	
		56	2089.84	13.44	1.63	1.63	0.00	0.00	0.00	
		57	2103.28	1.76	0.00	0.00	0.00	0.00	0.00	

		58	2105.04	45.84	1.63	1.63	0.00	0.00	0.00	
		59	2150.88	23.33	1.08	1.08	0.00	0.00	0.00	
		60	2174.22	8.49	0.74	0.74	0.00	0.00	0.00	
		61	2182.71	29.83	1.50	1.50	0.00	0.00	0.00	
		62	2212.53	16.68	1.46	1.46	0.00	0.00	0.00	
		63	2229.21	23.86	0.63	0.63	0.00	0.00	0.00	
		64	2253.07	54.43	-1.66	-1.66	0.00	0.00	0.00	
		65	2307.50	15.50	-1.24	-1.24	0.00	0.00	0.00	
		66	2322.99	52.73	-1.53	-1.53	0.00	0.00	0.00	
		67	2375.73	6.17	0.00	0.00	0.00	0.00	0.00	
R96_009	P98	1	0.00	83.90	0.00	0.00	0.00	0.00	0.00	
		2	83.90	155.81	0.00	0.00	0.00	0.00	0.00	
		3	239.71	3.44	0.00	0.00	0.00	0.00	0.00	
		4	243.15	8.83	0.00	0.00	0.00	0.00	0.00	
		5	251.98	3.96	-1.11	-1.11	0.00	0.00	0.00	Max.
		6	255.94	16.95	0.26	0.26	0.00	0.00	0.00	
		7	272.89	2.13	0.00	0.00	0.00	0.00	0.00	
		8	275.02	2.23	0.00	0.00	0.00	0.00	0.00	
R96_006	V1454	1	0.00	4.32	0.00	0.00	0.00	0.00	0.00	
		2	4.32	4.79	0.00	0.00	0.00	0.00	0.00	
		3	9.10	8.91	0.00	0.00	0.00	0.00	0.00	
		4	18.02	9.36	0.00	0.00	0.00	0.00	0.00	
		5	27.38	0.76	-7.89	-7.89	0.00	0.00	0.00	Max.
		6	28.14	9.35	-4.41	-4.41	0.00	0.00	0.00	
		7	37.49	20.46	-2.58	-2.58	0.00	0.00	0.00	
		8	57.94	56.15	0.00	0.00	0.00	0.00	0.00	
		9	114.10	1.20	0.00	0.00	0.00	0.00	0.00	
		10	115.29	89.50	0.00	0.00	0.00	0.00	0.00	
		11	204.80	3.52	0.00	0.00	0.00	0.00	0.00	
		12	208.31	5.57	0.00	0.00	0.00	0.00	0.00	
		13	213.88	6.10	0.00	0.00	0.00	0.00	0.00	
		14	219.99	55.46	-1.80	-1.80	0.00	0.00	0.00	
		15	275.44	6.33	0.00	0.00	0.00	0.00	0.00	
		16	281.77	3.05	0.00	0.00	0.00	0.00	0.00	
		17	284.82	12.20	0.00	0.00	0.00	0.00	0.00	
		18	297.02	2.80	0.00	0.00	0.00	0.00	0.00	
		19	299.81	19.20	0.00	0.00	0.00	0.00	0.00	
		20	319.02	1.33	0.00	0.00	0.00	0.00	0.00	
		21	320.35	17.87	0.00	0.00	0.00	0.00	0.00	
		22	338.22	79.16	1.26	1.26	0.00	0.00	0.00	
		23	417.38	9.54	0.00	0.00	0.00	0.00	0.00	
		24	426.92	3.79	0.00	0.00	0.00	0.00	0.00	
		25	430.71	93.59	0.91	0.91	0.00	0.00	0.00	
		26	524.30	4.85	1.81	1.81	0.00	0.00	0.00	
		27	529.14	3.45	1.78	1.78	0.00	0.00	0.00	
		28	532.59	8.23	0.00	0.00	0.00	0.00	0.00	
		29	540.82	5.16	0.00	0.00	0.00	0.00	0.00	
		30	545.98	143.27	0.00	0.00	0.00	0.00	0.00	
		31	689.25	30.35	0.37	0.37	0.00	0.00	0.00	
		32	719.60	101.24	-0.11	-0.11	0.00	0.00	0.00	
		33	820.84	103.28	0.97	0.97	0.00	0.00	0.00	
		34	924.12	47.49	0.00	0.00	0.00	0.00	0.00	
		35	971.60	119.81	0.83	0.83	0.00	0.00	0.00	
		36	1091.41	7.70	0.00	0.00	0.00	0.00	0.00	
		37	1099.11	12.62	0.00	0.00	0.00	0.00	0.00	
		38	1111.74	5.69	0.00	0.00	0.00	0.00	0.00	
		39	1117.43	5.41	0.00	0.00	0.00	0.00	0.00	
		40	1122.84	2.86	0.00	0.00	0.00	0.00	0.00	
		41	1125.70	18.16	0.00	0.00	0.00	0.00	0.00	
		42	1143.86	4.66	0.00	0.00	0.00	0.00	0.00	
		43	1148.52	9.48	0.00	0.00	0.00	0.00	0.00	

		44	1158.00	10.60	0.00	0.00	0.00	0.00	0.00	
		45	1168.60	6.45	0.00	0.00	0.00	0.00	0.00	
		46	1175.05	1.54	0.00	0.00	0.00	0.00	0.00	
		47	1176.59	1.09	0.00	0.00	0.00	0.00	0.00	
		48	1177.69	8.45	0.00	0.00	0.00	0.00	0.00	
		49	1186.14	7.70	0.00	0.00	0.00	0.00	0.00	
		50	1193.84	12.50	0.00	0.00	0.00	0.00	0.00	
		51	1206.34	10.83	0.00	0.00	0.00	0.00	0.00	
		52	1217.17	4.23	0.00	0.00	0.00	0.00	0.00	
		53	1221.41	11.76	0.00	0.00	0.00	0.00	0.00	
		54	1233.17	0.79	0.00	0.00	0.00	0.00	0.00	
		55	1233.96	4.30	0.00	0.00	0.00	0.00	0.00	
		56	1238.26	4.14	0.00	0.00	0.00	0.00	0.00	
		57	1242.40	10.42	0.00	0.00	0.00	0.00	0.00	
		58	1252.82	9.90	0.00	0.00	0.00	0.00	0.00	
		59	1262.72	4.86	0.00	0.00	0.00	0.00	0.00	
		60	1267.58	8.92	0.00	0.00	0.00	0.00	0.00	
		61	1276.50	0.87	0.00	0.00	0.00	0.00	0.00	
		62	1277.37	71.62	0.00	0.00	0.00	0.00	0.00	
		63	1348.99	51.76	0.00	0.00	0.00	0.00	0.00	
		64	1400.75	0.04	0.00	0.00	0.00	0.00	0.00	
		65	1400.79	38.72	0.00	0.00	0.00	0.00	0.00	
		66	1439.51	20.08	0.34	0.34	0.00	0.00	0.00	
		67	1459.59	40.81	-0.17	-0.17	0.00	0.00	0.00	
		68	1500.40	0.19	0.00	0.00	0.00	0.00	0.00	
		69	1500.59	137.03	0.00	0.00	0.00	0.00	0.00	
		70	1637.62	16.43	0.00	0.00	0.00	0.00	0.00	
		71	1654.06	6.48	0.00	0.00	0.00	0.00	0.00	
		72	1660.53	6.85	0.00	0.00	0.00	0.00	0.00	
		73	1667.39	51.38	-1.05	-1.05	0.00	0.00	0.00	
		74	1718.76	88.14	-0.52	-0.52	0.00	0.00	0.00	
		75	1806.90	42.02	0.00	0.00	0.00	0.00	0.00	
R96_004	4-10	1	0.00	0.56	0.00	0.00	0.00	0.00	0.00	
		2	0.56	3.84	0.00	0.00	0.00	0.00	0.00	
		3	4.40	0.27	0.00	0.00	0.00	0.00	0.00	
		4	4.67	32.64	-3.06	-3.06	0.00	0.00	0.00	
		5	37.31	5.27	0.00	0.00	0.00	0.00	0.00	
		6	42.58	6.07	0.00	0.00	0.00	0.00	0.00	
		7	48.65	11.50	0.00	0.00	0.00	0.00	0.00	
		8	60.14	2.87	0.00	0.00	0.00	0.00	0.00	
		9	63.01	9.02	0.00	0.00	0.00	0.00	0.00	
		10	72.04	76.03	-0.80	-0.80	0.00	0.00	0.00	
		11	148.07	75.88	-0.52	-0.52	0.00	0.00	0.00	
		12	223.95	52.29	-1.25	-1.25	0.00	0.00	0.00	
		13	276.24	60.15	-0.57	-0.57	0.00	0.00	0.00	
		14	336.39	9.29	0.00	0.00	0.00	0.00	0.00	
		15	345.68	54.86	0.00	0.00	0.00	0.00	0.00	
		16	400.54	13.51	0.00	0.00	0.00	0.00	0.00	
		17	414.06	5.73	0.00	0.00	0.00	0.00	0.00	
		18	419.78	93.21	0.00	0.00	0.00	0.00	0.00	
		19	512.99	172.60	-0.58	-0.58	0.00	0.00	0.00	
		20	685.59	9.24	0.00	0.00	0.00	0.00	0.00	
		21	694.83	2.78	0.00	0.00	0.00	0.00	0.00	
		22	697.61	49.82	2.01	2.01	0.05	0.04	0.05	Max.
		23	747.43	82.46	0.01	0.01	0.00	0.00	0.00	
		24	829.89	7.11	-0.14	-0.14	0.00	0.00	0.00	
		25	837.00	27.23	-2.05	-2.05	0.00	0.00	0.00	
		26	864.23	62.95	-0.26	-0.26	0.00	0.00	0.00	
		27	927.18	93.93	0.04	0.04	0.00	0.00	0.00	
		28	1021.11	25.35	2.71	2.71	0.05	0.04	0.05	
		29	1046.46	46.39	0.24	0.24	0.00	0.00	0.00	

		30	1092.85	29.82	-0.36	-0.36	0.00	0.00	0.00	
		31	1122.67	1.05	-0.30	-0.30	0.00	0.00	0.00	
		32	1123.72	93.55	0.00	0.00	0.00	0.00	0.00	
		33	1217.28	46.02	2.17	2.17	0.05	0.04	0.05	
		34	1263.30	0.04	0.00	0.00	0.00	0.00	0.00	
		35	1263.34	49.31	0.00	0.00	0.00	0.00	0.00	
		36	1312.65	9.20	0.00	0.00	0.00	0.00	0.00	
		37	1321.85	2.15	0.00	0.00	0.00	0.00	0.00	
		38	1324.00	1.23	0.00	0.00	0.00	0.00	0.00	
		39	1325.23	5.03	0.00	0.00	0.00	0.00	0.00	
		40	1330.26	6.01	0.00	0.00	0.00	0.00	0.00	
		41	1336.26	38.26	-1.20	-1.20	0.00	0.00	0.00	
		42	1374.52	57.52	-0.94	-0.94	0.00	0.00	0.00	
		43	1432.05	33.46	0.00	0.00	0.00	0.00	0.00	
		44	1465.50	12.52	0.00	0.00	0.00	0.00	0.00	
		45	1478.02	0.16	0.00	0.00	0.00	0.00	0.00	
		46	1478.18	7.26	0.00	0.00	0.00	0.00	0.00	
		47	1485.44	23.27	0.00	0.00	0.00	0.00	0.00	
		48	1508.71	22.89	0.00	0.00	0.00	0.00	0.00	
		49	1531.60	50.00	0.00	0.00	0.00	0.00	0.00	
		50	1581.60	67.39	0.00	0.00	0.00	0.00	0.00	
		51	1648.99	12.74	-0.90	-0.90	0.00	0.00	0.00	
		52	1661.73	7.95	-1.54	-1.54	0.00	0.00	0.00	
		53	1669.69	53.48	-0.93	-0.93	0.00	0.00	0.00	
		54	1723.16	24.58	-1.08	-1.08	0.00	0.00	0.00	
		55	1747.74	32.42	0.00	0.00	0.00	0.00	0.00	
		56	1780.16	33.40	0.00	0.00	0.00	0.00	0.00	
		57	1813.56	1.69	5.91	5.91	0.05	0.04	0.05	
		58	1815.25	42.89	0.40	0.40	0.00	0.00	0.00	
		59	1858.14	54.91	1.33	1.33	0.00	0.00	0.00	
		60	1913.05	23.15	0.00	0.00	0.00	0.00	0.00	
		61	1936.20	2.85	0.00	0.00	0.00	0.00	0.00	
		62	1939.06	19.55	0.00	0.00	0.00	0.00	0.00	
		63	1958.61	0.73	0.00	0.00	0.00	0.00	0.00	
		64	1959.34	52.38	0.52	0.52	0.00	0.00	0.00	
		65	2011.72	63.62	1.14	1.14	0.00	0.00	0.00	
		66	2075.34	95.73	0.48	0.48	0.00	0.00	0.00	
		67	2171.07	70.68	0.76	0.76	0.00	0.00	0.00	
		68	2241.75	60.42	0.00	0.00	0.00	0.00	0.00	
		69	2302.17	9.65	0.00	0.00	0.00	0.00	0.00	
		70	2311.82	14.58	-1.57	-1.57	0.00	0.00	0.00	
		71	2326.40	2.17	-1.56	-1.56	0.00	0.00	0.00	
		72	2328.57	6.14	-1.56	-1.56	0.00	0.00	0.00	

\*1): The gradient for the calculation has been entered directly.